2016 JUL 22 PM 2: 11

MISSISSIPPI STATE DEPARTMENT OF HEALTH

BUREAU OF PUBLIC WATER SUPPLY CCR CERTIFICATION **CALENDAR YEAR 2015** Water Supply Name #s for all Community Water Systems included in this CCR

The Federal Safe Drinking Water Act (SDWA) requires each Community public water system to develop and distribute a Consumer Confidence Report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed or delivered to the customers, published in a newspaper of local circulation, or provided to the customers upon request. Make sure you follow the proper procedures when distributing the CCR. You must mail, fax or

email a copy	of the CCR and Certification	to MSDH. Please check as	ll boxes that apply.	, , ,
Custon	ners were informed of availa	bility of CCR by: (Attach	copy of publication, water bill or	other)
	Advertisement On water bills (Email message Other	in local paper (attach copy attach copy of bill) (MUST Email the messag	y of advertisement) ge to the address below)	
Date((s) customers were informed		<u></u>	_
CCR v	vas distributed by U.S. Poods used	stal Service or other dir	rect delivery. Must specify other	direct delivery
Date	Mailed/Distributed:/			
CCR w	as distributed by Email (M □ As a URL (Prov □ As an attachmer □ As text within t	ride URL		<u>/</u>
CCR w	as published in local newspa	per. (Attach copy of publ	lished CCR or proof of publication)
	of Newspaper:			
Date 1	Published: Le /4 / \	Le C	7	
	as posted in public places. (Attach list of locations)	Date Posted: 4	/ \ L e
CCR wa	as posted on a publicly acce	ssible internet site at the fo	ollowing address (DIRECT URL 1	REQUIRED):
the SDWA. the water que Department of	ify that the 2015 Consume system in the form and m I further certify that the int	anner identified above a formation included in this ovided to the public was	CR) has been distributed to the cus and that I used distribution methors CCR is true and correct and is cater system officials by the Mis	ds allowed by
Deliver or send	l via U.S. Postal Service:		May be faxed to:	*

Deliver or send via U.S. Postal Service: Bureau of Public Water Supply P.O. Box 1700 Jackson, MS 39215

May be emailed to:

(601)576-7800

CCR Due to MSDH & Customers by July 1, 2016!

water.reports@msdh.ms.gov

2016 JUN 16 PM 4: 44
2015 Annual Drinking Water Quality Report PWS#: 0530006 & 0530036 May 2016

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Gordo Formation Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Clayton Village Water Association, Inc. have received lower to moderate susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact Delvin McClain at 662.418.8264. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the second Saturday of each month at 9:00 AM at the Clayton Village Water Association office.

We routinely monitor for contaminants in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that we detected during the period of January 1st to December 31st, 2015. In cases where monitoring wasn't required in 2015, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary to control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

PWS ID#:	0530006		'	TEST RES	ULTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source of Contamination
Inorganic	Contami	inants				•		
10. Barium	N	2013*	.08	.0508	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2013*	2.2	1.7 – 2.2	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2012/14*	.5	0	ppm	1.3	AL=1.3	Corrosion of household plumbing

									systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2013*	.149	.135149	ppm		4	4	4 Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2012/14*	1	0	ppb		0	AL=1	5 Corrosion of household plumbing systems, erosion of natural deposits
Disinfection	on By-	Products							_ coperio
Chlorine	N	2015	1.1	.5 – 1.8	Mg/l	0	MDF		Water additive used to control microbes

PWS ID#:	0530036	5		TEST RES	BULTS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source of Contamination
Inorganic	Contam	inants						
10. Barium	N	2013*	.06	No Range	ppm	2	•	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2013*	3.4	No Range	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2012/14*	.4	0	ppm	1.3	AL=1.:	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
16. Fluoride	N	2013*	.178	No Range	ppm	4		4 Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2012/14*	2	0	ppb	0	AL=1	5 Corrosion of household plumbing systems, erosion of natural deposits
Disinfection	on By-Pr	oducts				-		
Chlorine		2015 1	.5	i– 1.6	Mg/l	0 MD		Water additive used to control microbes

^{*} Most recent sample. No sample required for 2015.

As you can see by the tables, our system had no contaminant violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our water system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The Clayton Village Water Association, Inc. is always striving to supply all of ours members the best potable water. Please help us help you by, keeping meter boxes and areas around meters clean and visible. We work around the clock to provide top quality water to every tap. Please help us help you by, keeping meter boxes and areas around meters clean and visible. We ask that all our members help us protect our water sources, which are the heart of our community, our way of life and our children's future.

. 2015 Annual Drinking Water Quality Report Claytori Village Water Association, Inc., PWS#: 0530006 & 0530036 May 2016

leased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to the quality of your water. Our water source is from wells drawing from the Gordo Formation Aquifer.

rce water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water is identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were an inc. have received lower to moderate susceptibility rankings to contamination. The walls for the Clayton Village Water

te any questions about this report or concerning your water utility, please contact Delvin McClain et 662.418.8269. We want our valued a to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are second Saturday of each month at 6:00 AM at the Clayton Village Water Association office.

ely monitor for contaminants in your drinking water according to Federal and State laws. This table below lists all of the drinking water sizes that we detected during the period of January 1º to December 31º. 2015. In cases where monitoring wasn't required in 2015, and the most recent results, As water travele over the surface of land or underground, it dissolves naturally occurring minerals and safety and particular and contaminants. Such as witness and bacteriar, that may come from sewage treatment plants, such as witness and bacteriar, that may come from sewage treatment plants, spatic systems, agricultural investors, and wildlife; inorganic contaminants, such as saits and metals, which can be relatively occurring or result from ruman activity usurial, or domestic wastewater discharges, oil and gas production, mining, or farming, pesticides and harbicides, which may come and velatile organic chamicals, which are by-products of industrial processes and petroleum production, and can also come from one of the casure that tap water is safe to drink, EPA prescribes regulations that time the amount of certain contaminants in water sums constituents. It's important to remainber that the presence of these constituents does not necessarily indicate that the water same

- s you will find many terms and abbreviations you might not be familiar with. To nelp you better understand these terms we've a following definitions:
- the concentration of a contentinent which, if exceeded, tiggers treatment or other requirements which a water system must follow.

ontarnioent Level (MCL) - The "Maximium Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are to the MCLGs as feasible using the best available treatment technology.

interminent Love/ Goal (MCLG) - The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or to health. MCLGs allow for a margin of safety.

School Distinguished and a manger or separate.

School Distinguished Level pMRDL) — The highest level of a disinfection allowed in drinking water. There is convincing evidence that addition and the processor to control plantable control page. suf is uccessely to control micropist contaminants.

sidual Disinfectant Lovel Goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected risk of ...Gs do not reflect the banefits of the use of disinfectants to control microbial contaminants.

- on (ppm) or Milligrams per liter (mg/l) one part per million corresponde to one minute in two years or a single penny in \$10,000,
- o (ppb) or Migrograms per liter one part per billion corresponds to one minute in 2,000 years, or a single pensy in \$10,000,000.

	ion D	te ·		TEST R	LOULIS				
YAN	Colta	cted Det	evel ected	Range of Detects or # Bemples Exceeding		nt MC	LG	MCL	Likely Source of Contamination
Contai	minant	······································		MCL/ACL	<u></u>				'
N	2013		 ,						7. Verrange // // // // // // // // // // // // //
	. 10.0	.08		-0508	ppm	1	21		T
N	-					1		2	Discharge of drilling wastes;
]"	5013-	5.2		1,7-2.2	DDD				discharge from metal relineries erosion of natural deposits
IN	2012/14	- 5			1,755	1 70	00	TOO	1 4/18Charo# from steel and and
,	-			0	ppm	7	3	AL=1,3	Linux, etcapon of patrical desert
1	1		.7		· · · · · · · · · · · · · · · · · · ·		***		Corresion of household plumbly
-	1.	1.	- 1		ŀ				systèms: erosion of natural
N	2013"	.145	1	135149	 	<u> </u>			deposite; teaching from wood preservatives
	1		Ι.		ppm	1 "	4	4	Erosion of network do-
			- 1		ļ.	1		. [
N	2012/14	7	, a	······································	ppo	<u> </u>	L.		aluminum fectories
	f	1.	1		7FV	, (7	A(=15)	Corrosion of hoveehold plumbing
· · · · · · · · · · · · · · · · · · ·	L	. 1	- 1			I	- 1		TO THE PROPERTY OF THE PROPERT
	<u> </u>				<u>.</u>				
By-Pr	oducts			<u> </u>	<u> </u>	<u></u>			Systems, grosion of natural deposits
		7.1	5_1					<u>.</u>	
		7.1	.5 - 7.	8 1	идл Т	O ME	ORL =	A Wate	deposits
		7.1	.5 – 7.	8 /	мдл	O ME	ORL =		deposits
i Z		7.1	.5-1.	8 /	Mgn	O ME	PRL =	A Wate	deposits
		7.4				O ME	PRL =	A Wate	deposits
30036	Date		TE	ST RESU	LTS	O ME	PRL =	A Wate	deposits
30036	015	Lavel Distacted	TE	ST REST	JLTS	O ME		: 4 Wate	deposits ar additive used to control bes
30036	Date	Levei	TE De	ST REST	LTS			: 4 Wate	deposits
30036	Date Collected	Levei	TE Del	ST RESU	JLTS			: 4 Wate	deposits ar additive used to control bes
30036	Date Collected	Levei	TE Del	ST REST	JLTS			: 4 Wate	deposits ar additive used to control bes
30036 iolation	Date Colleged	Level Datected	TE Del	ST REST	JLTS			: 4 Wate	deposits ar additive used to control bes
30036 iolation	Date Collected	Levei	TE Del	ST REST	JLTS	NCTO		4 Water Inion	Spoolis ar additive used to control obes kely Source of Contempation
30036 Toleton YAN	Date Cellorfed	Level Datected	TE Del	ST REST	JLTS Unit			2 Die	deposits ar additive used to control obes kely Source of Contemination
30036 Toleton YAN	Date Colleged	Level Datected	TE Del	ST REST Plange of lecte or # or 18 Samples Acqueling ACL/ACL Plange py	JLTS Unit Measurement	NCTO	M	2 Die	Spoolis ar additive used to control obes kely Source of Contempation

15. Fluoride	N	2013					_i_	preservatives ~
17. Lead	N	2013	.149	,135 - ,149	ирт	4	4	
					dqa	0	AL±15	Corrosion of household plumbing systems, crosion of natural deposits
Disinfection	on By-P	roducts						
Chioring	N	2015	1.1	.5 - 1.8	МөЛ	0 MD	RL = 4 Vy.	nier additivė used to control Crobes
PWS ID#:				TEST RE	SULTS	***************************************		and the second s
	Violation Y/N	Collected	Level Detector	Hange of Detects of # of Samples Greeding MCL'ACL	Unit Measurement	MOLĞ	MCL	Likely Source of Contamination
Inorganie		inants		Tambin series at 1, 1/5/1/hander and 1 and	.doese. , was 1111 1111	L		The contract of the contract o
10. Barium (3. Chromium	- N	2013	.05	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
·	N	2013	3.4	No Range	Dρb	100	100	Discharge from steel and pulp
4. Copper 8. Fluoride	N	2013/14*	.4	0	ррт	1.3	AL::1,3	mills: erosion of netural deposits Corrosion of household plumbing systems; crosson of natural deposits; leaching from wood preservatives
7. Lead	N		.178	No Range	πιας	4	į;	Erosion of natural deposits: water additive which promotes strong seth; discharge from fertilizer and aluminum factories
7. LEQU		2012/14-	5	0	ppb	0	ALMIS C	Corrosion of household plumbing systems, erosion of natural fichosits
Disinfection	By-Pro	ducts						100
Morine		015 1	1.6	5- 7.6 It	Ag/I	MDRU		Y additive used to control

As you can see by the tables, our system had no contaminant violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

If present, elevated levels of lead can gause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our water system is responsible for string in several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds for 2 minutes before using water for chinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested, information on lead in drinking http://www.ppa.gov/safewster/lead, The Mississippi State Department of Health Public Realth Laboratory offers lead testing. Please contact 601.576,7582 if you wish to have your water fested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be increase, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hottine at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immune-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIVAIOS or other immune system disorders, some otherly, and infants can be particularly at risk from intections. These people should sake advice about drinking water from their health care providers, EPA/ODC guidelines on appropriate means to leasen the risk of infaction by dryptosportidum and other microbiological contaminants are available from the Safe Drinking Water Hottine 1-800-426-4791.

The Clayton Village Water Association, Inc. is always striving to supply all of ours members the best potable water. Please help us help you by, keeping mater boxes and areas around meters clean and visible. We work around the clock to provide top quality water to every tap. Please so use help you by, keeping meter boxes and areas around meters clean and visible. We ask that all our members help us protect our water sources, which are the heart of our community, our way of life and our children's future.

[.] Most recent sample. No sample required for 2015.

The State of Mississippi OKTIBBEHA COUNTY

AFFIDAVIT OF PUBLICATION

Before me, in and for said county, this day personally came the undersigned representative of the Starkville Daily News, a newspaper published in the City of Starkville, of said county and state, who being duly sworn deposeth and says that the publication of a certain notice, a true copy of which, is hereto affixed has been made for ______ weeks consecutively, to wit:

Dated JUNIO	1, 20 <u> </u>
Dated	, 20
Dated -	, 20
Dated ———	, 20
Dated ———	, 20

Said representative further certifies that the several numbers of the newspaper containing the above mentioned notice have been produced and compared with the copy affixed; and that the publication thereof has been correctly made.

Commission Expires

WITNESS MY HAND AND SEAL OF OFFICE	this the
By: MMa Zwell Notary Public OF MFS 15 10 # 88219	STARKVILLE DAILY NEWS By: MMM Mc M(M) () Publisher (4) Clerk
SEAL: MONA P. HOWELL	Double G.

Publication Fee Proof(s) Of Publication Total Charges

AFFIDAVIT# 36412

\$ 431-20 \$ 3.00 \$ 440.20